

# Millium

Safe  
Burglary Protection



Certified  
burglary  
resistance

# MILLIUM

## Burglary Protection

The Millium range is designed for the protection of cash and valuables in professional environments where security is a priority (bank branches, luxury retail outlets and company premises). It offers an optimised storage capacity thanks to its high-performance composite barrier material with reduced thickness.



### Key features

#### PROTECTION

- ✦ Certified burglary resistance as per EN 1143-1 (Grades I-III)

#### CAPACITY


- ✦ 40 litres
- ✦ 80 litres
- ✦ 120 litres
- ✦ 150 litres
- ✦ 240 litres
- ✦ 370 litres

#### KEY BENEFITS

- ✦ Superior level of burglary protection with a wide variety of sizes
- ✦ Optimum weight/security performance ratio for this best-seller in our portfolio

## Fichet-Bauche guarantees

Our products are subjected to the most stringent tests approved by insurers and A2P-certified by France's National Centre for Prevention and Protection (CNPP). This is the result of integrating our own test laboratory into our factory to impose conditions going even further than those of certifying bodies. Installation is also carried out by our own technicians to ensure certification of your safe is always preserved.



## Technical specifications

| Models  |                                    | Millium 40 | Millium 80 | Millium 120 | Millium 150 | Millium 240 | Millium 370 |  |
|---|------------------------------------|------------|------------|-------------|-------------|-------------|-------------|--|
| Capacity (Litres)   |                                    | 43         | 77         | 107         | 154         | 235         | 363         |  |
| External Dimensions (mm)<br><i>Hinges projection not included</i> | Height                             | 495        | 615        | 816         | 790         | 1135        | 1295        |  |
|   | Width                              | 555        | 555        | 555         | 655         | 655         | 765         |  |
|   | Total width with door open to 90°  | 595        | 595        | 595         | 695         | 695         | 805         |  |
|   | Total width with door open to 180° | 1060       | 1060       | 1060        | 1260        | 1260        | 1480        |  |
|   | Depth (without handle & locks)     | 400        | 490        | 490         | 571         | 571         | 620         |  |
|   | Total depth with door open to 90°  | 870        | 960        | 960         | 1140        | 1140        | 1300        |  |
| Internal dimensions (mm)  | Height                             | 405        | 525        | 725         | 700         | 1045        | 1205        |  |
|   | Clearance height (mm)              | 365        | 485        | 685         | 660         | 1005        | 1165        |  |
|   | Width                              | 460        | 460        | 460         | 560         | 560         | 670         |  |
|   | Clearance width                    | 410        | 410        | 410         | 510         | 510         | 620         |  |
|   | Clearance width (door open to 90°) | 405,5      | 405,5      | 405,5       | 505,5       | 505,5       | 615,5       |  |
|   | Depth                              | 230        | 320        | 320         | 401         | 401         | 450         |  |
| Weight (kg)   | Grade I                            | 175        | 245        | 296         | 376         | 480         | 684         |  |
|   | Grade II                           | 175        | 242        | 301         | 361         | 490         | 677         |  |
|   | Grade III                          | -          | 260        | 325         | 390         | 530         | 710         |  |
| Nb. of shelves (standard version)                                 |                                    | 1          | 1          | 2           | 3           | 3           | 3           |  |
| Number of doors   |                                    |            |            |             |             |             | 1           |  |

Handle projection: +65mm / Lock projection: +35-60mm depending on models.

## Fichet Locks

A2P-certified locks as per European standards EN 1300:



MxB-B key lock  
(patented by Fichet-Bauche)



MC4 mechanical  
combination lock



Nectra electronic  
combination lock



KeiNet electronic  
combination lock

## A hallmark of our brand

With 200 years of experience as master locksmiths, we develop and manufacture our own exclusive locks. This is one of the key strengths of our safes and a guarantee of high security. We remain committed to permanent investment in R&D, always looking for more functionality, more resistance, new materials and more advanced lock technologies.

## Product details

The Millium range is designed for easy opening and practicality: handle to the left, key to the right, controls located at the top. Offering a wide choice of sizes for adequate storage capacity, it provides a perfect solution to protect your cash and valuables—especially on professional premises.

### PERFORMANCE AND SECURITY

Millium safes offer:

- ✦ Burglary resistance as per EN 11431 certified by both A2P and ECB•S (Grades I-III with €25,000 to €55,000 insurance ratings)
- ✦ Choice of mechanical and/or electronic locks (all A2P-certified as per EN 1300)
- ✦ Easy locking with full-length bolt movement driven by door handle, anchoring bar and anti-heeling protection on the hinge side
- ✦ Optional factory-installed alarm configurations for remote lock management: DOCT sensors for shock and thermal opening detection - compatible with most centralised alarm platforms – allow for 24/7 monitoring and detection

### INTERIOR FITTINGS AND OPTIONS

- ✦ Standard or reinforced shelves
- ✦ Lockable compartments
- ✦ Shelves for hanging suspension files
- ✦ Sliding trays.
- ✦ DOCT Alarm sensors
- ✦ Anchoring kit included for safes weighing less than 1,000kg (mandatory as per EN 1143-1 requirements)



Showroom: Rua de Costa Cabral, 825  
4200-224 Porto

contactos: 225 400 537 / 914 649 626  
e.mail: [info@fichet-porto.pt](mailto:info@fichet-porto.pt)  
[www.fichet-porto.pt](http://www.fichet-porto.pt)